

A support program dedicated to helping patients throughout their treatment journey

HADLIMA is a prescription medicine. One of the uses of HADLIMA is to reduce the signs and symptoms of moderate to severe rheumatoid arthritis (RA) in adults. HADLIMA can be used alone, with methotrexate, or with certain other medicines.

To enroll in HADLIMA For You, please visit HADLIMA.com

-  **Certified Nurse Coach**
-  **Co-pay support program*†**
-  **Specialty pharmacy**
-  **Injection support**



*Not all patients are eligible to use the multi-use savings coupon. Certain restrictions apply.

†Pay as little as \$0.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about HADLIMA?

You should discuss the potential benefits and risks of HADLIMA with your doctor. HADLIMA is a tumor necrosis factor (TNF) blocker medicine that can lower the ability of your immune system to fight infections. You should not start taking HADLIMA if you have any kind of infection unless your doctor says it is okay.

Serious infections have happened in people taking adalimumab products. These serious infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some people have died from these infections. Your doctor should test you for TB before starting HADLIMA, and check you closely for signs and symptoms of TB during treatment with HADLIMA, even if your TB test was negative. If your doctor feels you are at risk, you may be treated with medicine for TB.

Cancer. For children and adults taking TNF blockers, including HADLIMA, the chance of getting lymphoma or other cancers may increase. There have been cases of unusual cancers in children, teenagers, and young adults using TNF blockers. Some people have developed a rare type of cancer called hepatosplenic T-cell lymphoma. This type of cancer often results in death. If using TNF blockers, including HADLIMA, your chance of getting 2 types of skin cancer (basal cell and squamous cell) may increase. These types are generally not life threatening if treated; tell your doctor if you have a bump or open sore that does not heal.

See next page for additional Important Safety Information.

Reliable support along the treatment journey

HADLIMA™
(adalimumab-bwvd)
injection, 40 mg/0.4 mL, 40 mg/0.8 mL

Certified Nurse Coach

Patients will speak to the same dedicated Nurse Coach throughout their treatment!

The support team for HADLIMA is trained and certified in nurse coaching, so they can:

- Assist in disease education
- Answer questions about HADLIMA
- Provide continued support

Specialty Pharmacy

HADLIMA has partnered with select specialty pharmacies that will fulfill prescriptions and assist with administrative tasks like benefits investigation and prior authorization.



IMPORTANT SAFETY INFORMATION (continued)

What should I tell my doctor BEFORE starting HADLIMA?

Tell your doctor about all of your health conditions, including if you:

- Have an infection, are being treated for infection, or have symptoms of an infection.
- Get a lot of infections or infections that keep coming back.
- Have diabetes.
- Have TB or have been in close contact with someone with TB, or were born in, lived in, or traveled where there is more risk for getting TB.
- Live or have lived in an area (such as the Ohio and Mississippi River valleys) where there is an increased risk for getting certain kinds of fungal infections, such as histoplasmosis, coccidioidomycosis, or blastomycosis. These infections may happen or become more severe if you use HADLIMA. Ask your doctor if you are unsure if you have lived in these areas.
- Have or have had hepatitis B.
- Are scheduled for major surgery.
- Have or have had cancer.
- Have numbness or tingling or a nervous system disease, such as multiple sclerosis or Guillain-Barré syndrome.
- Have or had heart failure.

- Have recently received or are scheduled to receive a vaccine. HADLIMA patients may receive vaccines, except for live vaccines. Children should be brought up to date on all vaccines before starting HADLIMA.
- Are allergic to HADLIMA or any of its ingredients.
- Are pregnant, planning to become pregnant, breastfeeding, or planning to breastfeed.
- Have a baby and were using HADLIMA during your pregnancy. Tell your baby's doctor before your baby receives any vaccines.

Also tell your doctor about all the medicines you take. You should not take HADLIMA with ORENCIA® (abatacept), KINERET® (anakinra), REMICADE® (infliximab), ENBREL® (etanercept), CIMZIA® (certolizumab pegol), or SIMPONI® (golimumab). Tell your doctor if you have ever used RITUXAN® (rituximab), IMURAN® (azathioprine), or PURINETHOL® (mercaptopurine, 6-MP).

What should I watch for after starting HADLIMA?

HADLIMA can cause serious side effects, including:

- **Serious infections.** These include TB and infections caused by viruses, fungi, or bacteria. Symptoms related to TB include a cough, low-grade fever, weight loss, or loss of body fat and muscle.
- **Hepatitis B infection in carriers of the virus.** Symptoms include muscle aches, feeling very tired, dark urine, skin or eyes that look yellow, little or no appetite, vomiting, clay-colored bowel movements, fever, chills, stomach discomfort, and skin rash.

See next page for additional Important Safety Information.

Reliable support along the treatment journey

HADLIMA™
(adalimumab-bwvd)
injection, 40 mg/0.4 mL, 40 mg/0.8 mL

Injection Support

HADLIMA For You provides injection support for self-administration. The comprehensive injection video shows the process of using the HADLIMA™ PushTouch™ Autoinjector.



To help with self-administering HADLIMA, scan to watch the patient injection video.



IMPORTANT SAFETY INFORMATION (continued)

- **Allergic reactions.** Symptoms of a serious allergic reaction include hives, trouble breathing, and swelling of your face, eyes, lips, or mouth.
- **Nervous system problems.** Signs and symptoms include numbness or tingling, problems with your vision, weakness in your arms or legs, and dizziness.
- **Blood problems** (decreased blood cells that help fight infections or stop bleeding). Symptoms include a fever that does not go away, bruising or bleeding very easily, or looking very pale.
- **Heart failure** (new or worsening). Symptoms include shortness of breath, swelling of your ankles or feet, and sudden weight gain.
- **Immune reactions including a lupus-like syndrome.** Symptoms include chest discomfort or pain that does not go away, shortness of breath, joint pain, or rash on your cheeks or arms that gets worse in the sun.
- **Liver problems.** Symptoms include feeling very tired, skin or eyes that look yellow, poor appetite or vomiting, and pain on the right side of your stomach (abdomen). These problems can lead to liver failure and death.
- **Psoriasis** (new or worsening). Symptoms include red scaly patches or raised bumps that are filled with pus.

Call your doctor or get medical care right away if you develop any of the above symptoms.

Common side effects of HADLIMA include injection site reactions (pain, redness, rash, swelling, itching, or bruising), upper respiratory infections (sinus infections), headaches, rash, and nausea. These are not all of the possible side effects with HADLIMA. Tell your doctor if you have any side effect that bothers you or that does not go away.

Remember, tell your doctor right away if you have an infection or symptoms of an infection, including:

- Fever, sweats, or chills
- Muscle aches
- Cough
- Shortness of breath
- Blood in phlegm
- Weight loss
- Warm, red, or painful skin or sores on your body
- Diarrhea or stomach pain
- Burning when you urinate
- Urinating more often than normal
- Feeling very tired

HADLIMA is given by injection under the skin.

This is the most important information to know about HADLIMA. For more information, talk to your health care provider.

See how to save on HADLIMA



The HADLIMA For You - Savings Program may help save on the cost of treatment.* Eligible, commercially insured patients may be able to receive HADLIMA for as little as \$0 a month, every month.

If you do not qualify for the HADLIMA For You - Savings Program, you may qualify for additional financial savings through the Organon Patient Assistance Program. Please visit organonhelps.com to learn more.



HADLIMA For You is here to help.
Scan or call **1-833-4HADLIMA** to enroll today.

*Not all patients are eligible to use the multi-use savings coupon. Certain restrictions apply. Please see Terms and Conditions on HADLIMA.com.

Please read the accompanying [Medication Guide](#) for HADLIMA, including the information about serious infections and cancers, and discuss it with your doctor. The [Instructions for Use](#) and Physician [Prescribing Information](#) also are available.



Brands mentioned are trademarks of their respective owners.

© 2024 Organon group of companies. All rights reserved. ORGANON and the ORGANON Logo are trademarks of the Organon group of companies. US-ADA-110601 07/24

HADLIMA™
(adalimumab-bwwd)
injection, 40 mg/0.4 mL, 40 mg/0.8 mL